



Welcome to

WHEEL RIM SHOP

JIANGXI ECHO TECHNOLOGY CO., LTD.



CONTENTS



ABOUT WRS



PRODUCT CATEGORY



ONE-STOP SERVICE

01

ABOUT US

Wheel Rim Shop is one of the premier manufacturers and exporters of alloy wheels and accessories in China. We have many designs in stock for fast delivery, meanwhile OEM/ODM customize to your ideas are welcome as well. With 20 years of experience, our wheels are exported to more than 70 countries, we are highly recognized and have built our reputation of quality, cost saving and customer service, that's the most important thing for us.



Company Overview

Year Established	2001
Total Employees	150-200 people
Factory Area	60,000 square meters
OEM & ODM	Available
Production Capacity	50,000 pcs per month
Long-term Partner	GERA、TIS、FITTIPALDI、DROPSTAR、CENTERLINE
Main Markets	North America, Eastern Asia, Europe, Oceania, Southeast Asia, Middle East, Africa, South America



Quality Guarantee



Material

Aluminum alloy A356



Machinery

Casting wheel production line



Test & Certification

Three-coordinate measurement

Impact test

Radial fatigue test

X-ray inspection

Dynamic balance test

TUV/ DOT /JWL/ ISO TS16949






02

PRODUCT CATEGORY

Wheel Rim Shop specialize in various alloy wheels for Aftermarket, Off road, Replica.

Focus makes profession!



Aftermarket Wheels

Wheel Rim modification refers to the modification of the original wheel rim of the vehicle by the owner or the professional personnel engaged in vehicle modification for aesthetic or other purposes. As an important part of the automobile, the wheel rim and tire are the modification category that many automobile modification enthusiasts are keen on. The modification of the wheel rim has become the focus of the car fans.



NF361



Size :
13*4/14*5.5/16*7
Offset/ET : 42/45
PCD : 100/114.3
Holes : 4/5

DM148



Size :
16*6.5/17*7.5/18*8
Offset/ET : 35~42
PCD : 100~120
Holes : Blank

631



Size : 14*6/15*7/16*7
Offset/ET : 15~35
PCD : 100~114.3
Holes : Blank

1134



Size : 14*6/15*7/16*7
Offset/ET : 15~35
PCD : 100~114.3
Holes : Blank

1536



Size : 13*6/14*6/15*7
Offset/ET : 30
PCD : 100~114.3
Holes : Blank

565



Size : 15*7/16*7/17*7.5
Offset/ET : 33/35
PCD : 100~114.3
Holes : 4/5

580



Size :
15*8/15*7.25/16*7.75
Offset/ET : 20~35
PCD : 100~114.3
Holes : 4/8

7003



Size :
15*7/16*7.25/17*8.25
Offset/ET : 20~35
PCD : 100~114.3
Holes : 4/5/8/10

682



Size :
13*4/14*5.5/16*7
Offset/ET : 42/45
PCD : 100/114.3
Holes : 4/5

687



Size :
16*6.5/17*7.5/18*8
Offset/ET : 35~42
PCD : 100~120
Holes : Blank

DH491



Size : 14*6/15*7/16*7
Offset/ET : 15~35
PCD : 100~114.3
Holes : Blank

DH554



Size : 14*6/15*7/16*7
Offset/ET : 15~35
PCD : 100~114.3
Holes : Blank

DH705



Size : 15*7/16*7
Offset/ET : 17~30
PCD : 100~114.3
Holes : 8

DM160



Size :
15*7/17*7.5|9/18*8|9
Offset/ET : 10~40
PCD : 100~120
Holes : Blank

H135



Size : 15*7/16*7
Offset/ET : 15~30
PCD : 100~114.3
Holes : Blank

H136



Size : 15*7
Offset/ET : 15~30
PCD : 100~114.3
Holes : Blank

LC1006



Size :
15*7/17*7.5/18*8.5
Offset/ET : 30~35
PCD : 100~120
Holes : 4/5/8

605



Size : 15*7.5/17*8
Offset/ET : 20/30
PCD : 100~114.3
Holes : 4/5/8

562



Size : 15*8/17*9
Offset/ET : 15
PCD : 100~114.3
Holes : 4/5

686



Size : 15*8
Offset/ET : 20
PCD : 100~114.3
Holes : 5/8

689F



Size : 15*7/15*8
Offset/ET : 25/35
PCD : 100
Holes : 4/5

DM121



Size : 15*8/15*9
Offset/ET : 15~25
PCD : 100~114.3
Holes : 8

DM903



Size : 15*8/15*9
Offset/ET : 0
PCD : 100~114.3
Holes : 4

5008



Size :
15*8/17*8/18*9.5|10.5
Offset/ET : -10/10
PCD : 100~120
Holes : 4/5/8

606



Size :
16*7/17*7.5/18*8.5
Offset/ET : 35~40
PCD : 100/114.3
Holes : 5/8/10

658



Size : 16*7/16*8.5
Offset/ET : 38/30
PCD : 100~114.3
Holes : 5/8

676



Size : 16*6.5/17*7
Offset/ET : 35
PCD : 100~114.3
Holes : 5/8

AK055



Size : 16*7/16*8
Offset/ET : 35/30
PCD : 100~114.3
Holes : 5/8

DM143



Size :
16*7/17*7.5|8.5|9/18*8/19*8.5
Offset/ET : 30~38
PCD : 100~114.3
Holes : 4/5/Blank

DM5703



Size : 16*7
Offset/ET : 38
PCD : 100~114.3
Holes : 5

LC1001



Size :
16*7/17*7.5/18*8.5/19*8.5|9.5
Offset/ET : 35
PCD : 100~120
Holes : 5

LC1002



Size : 16*7/17*7.5/18*8.5
Offset/ET : 35
PCD : 100~120
Holes : 5

LC1008



Size : 16*7/17*7.5
Offset/ET : 35
PCD : 100~120
Holes : 4/5/8

501



Size : 16*7.5/16*8.5
Offset/ET : 35/25
PCD : 100~114.3
Holes : Blank

676



Size : 17*8
Offset/ET : -6~25
PCD : 139.7-150
Holes : 5/6

NF411



Size : 16*7.5/17*8/18*8
Offset/ET : 35
PCD : 100~120
Holes : 5

DM133



Size : 16*8|9/17*8.5|9/18*8.5|9.5
Offset/ET : 35~43
PCD : 100~120
Holes : Blank

DM307



Size : 17*7/18*7.5
Offset/ET : 38~45
PCD : 100~120
Holes : Blank

DM308



Size : 17*7/18*7.5
Offset/ET : 38~45
PCD : 100~120
Holes : Blank

DM309



Size : 17*7/18*7.5
Offset/ET : 38~45
PCD : 100~120
Holes : Blank

067



Size : 17*7.5/17*8.5
Offset/ET : 30/25
PCD : 100~114.3
Holes : 8

582



Size : 17*7.5/18*8.5|9.5
Offset/ET : 30/20
PCD : 100~114.3
Holes : 5

604



Size : 17*7.5|8|9
Offset/ET : 35/40/30
PCD : 100~114.3
Holes : 8

647



Size : 17*7.5|8.5
Offset/ET : 38/30
PCD : 100~114.3
Holes : 4/5/8

688



Size : 17*7.5/18*8.5
Offset/ET : 35~40
PCD : 100~114.3
Holes : 5

A051



Size : 17*7.5/18*8
Offset/ET : 35~40
PCD : 100~120
Holes : 4/5/8/10

A054



Size : 17*7.5/18*8
Offset/ET : 35~45
PCD : 100~120
Holes : 5/8/10

A015



Size : 15*7/16*7/17*7.5/18*8.5/19*8.5
Offset/ET : 35~40
PCD : 100~120
Holes : 4/5/8

DM181



Size : 17*7.5/18*8
Offset/ET : 35
PCD : 100~120
Holes : 5

DM893



Size : 17*7.5/18*8
Offset/ET : 38~40
PCD : 100~120
Holes : 5

DM902



Size : 17*7.5|8.5|9.5/18*8
Offset/ET : 20~35
PCD : 100~120
Holes : 4/5/Blank

LC1003



Size : 17*7.5/18*8.5
Offset/ET : 35
PCD : 100~120
Holes : 5

LC1004



Size :
17*7.5/18*8.5/19*8.5|9.5
Offset/ET : 35~38
PCD : 100~120
Holes : 4/5/Blank

646



Size : 17*8/17*9
Offset/ET : 30/25
PCD : 100~114.3
Holes : 5/8

DM901



Size : 117*8.5|9.5/18*8.5|9.5
Offset/ET : 15~35
PCD : 100~120
Holes : 4/5/8/10

A004



Size : 118*7.5|8.5|9.5
Offset/ET : 35~38
PCD : 100~114.3
Holes : 5

616



Size : 17*7.5/18*8
Offset/ET : 35/45
PCD : 100~114.3
Holes : 5

5018



Size : 17*7.5/18*8
Offset/ET : 30~45
PCD : 100~120
Holes : 5

A041



Size : 18*8.5
Offset/ET : 35~40
PCD : 100~120
Holes : 5

A038



Size : 18*8|9/19*8.5|9.5
Offset/ET : 15~40
PCD : 100~120
Holes : 5

5014



Size : 17*7.5/18*8/19*8.5
Offset/ET : 35/40/45
PCD : 100~120
Holes : 5

DM302



Size : 18*8/19*8.5|9.5
Offset/ET : 20~35
PCD : 100~120
Holes : 5

DM154



Size : 19*8.5|9.5/20*8.5|10
Offset/ET : 15~35
PCD : 100~120
Holes : Blank

5039



Size :
18*8.5|9.5/19*8.5|9.5
Offset/ET : 20~35
PCD : 100~114.3
Holes : 5

Replica Wheels

The replica wheel rim is exactly the same as the original wheel rim, which can perfectly replace the old wheel rim or damaged wheel rim. The original appearance of the vehicle can be maintained.



A029



Size :
18*8|9/19*8.5|9.5/20*8.5|9.5
Offset/ET : 35~45
PCD : 112
Holes : 5

7001



Size :
18*8/19*8.5|9.5/20*8.5|9.5
Offset/ET : 35~45
PCD : 112~130
Holes : 5

5013



Size : 18*8/19*8.5|9.5
Offset/ET : 30/40
PCD : 112
Holes : 5

A030



Size : 18*8
Offset/ET : 35~40
PCD : 112
Holes : 5

A033



Size : 18*8
Offset/ET : 35~43
PCD : 112
Holes : 5

A035



Size :
18*8|9/19*8.5|9.5/20*8.5|9.5
Offset/ET : 35~45
PCD : 112
Holes : 5

A036



Size : 18*8|9/19*8|9
Offset/ET : 35~45
PCD : 112
Holes : 5

A045



Size : 18*8|9
Offset/ET : 45
PCD : 112
Holes : 5

A044



Size : 18*8.5
Offset/ET : 30~45
PCD : 112
Holes : 5

A021



Size : 20*9.5
Offset/ET : 30~35
PCD : 112~130
Holes : 5

A056



Size : 18*7.5
Offset/ET : 40~51
PCD : 112~120
Holes : 5

DM602



Size : 13*6
Offset/ET : 0~10
PCD : 100~114.3
Holes : 4

A020



Size : 18*8
Offset/ET : 30~35
PCD : 112~120
Holes : 5

A052




Size : 18*8
Offset/ET : 30~35
PCD : 120
Holes : 5

5011



Size : 19*8.5
Offset/ET : 35~40
PCD : 112
Holes : 5

5016



Size : 18*8
Offset/ET : 30~35
PCD : 120
Holes : 5

5017



Size : 18*8
Offset/ET : 30~35
PCD : 120
Holes : 5(BMW)

5019



Size : 18*8.5
Offset/ET : 35~45
PCD : 100~120
Holes : 5

5024



Size : 19*8.5
Offset/ET : 40
PCD : 100~120
Holes : 5

A038



Size : 18*8|9
Offset/ET : 25~35
PCD : 120
Holes : 5

A027



Size : 19*7.5
Offset/ET : 32
PCD : 112~120
Holes : 5

DM180



Size : 19*7.5|8.5
Offset/ET : 47/52
PCD : 100~120
Holes : 5

A014



Size : 18*8/19*8.5
Offset/ET : 30~43
PCD : 100~120
Holes : 5

A031



Size : 18*8/19*8.5/20*9
Offset/ET : 25~45
PCD : 112
Holes : 5(Audi)

A032



Size :
18*8/19*8.5/20*9
Offset/ET : 25~45
PCD : 112
Holes : 5

A049



Size : 18*8
Offset/ET : 35~45
PCD : 112
Holes : 5

A043



Size : 19*8
Offset/ET : 39
PCD : 112
Holes : 5

A053



Size : 18*8
Offset/ET : 44
PCD : 112
Holes : 5 (VW
Magotan)

5027



Size : 18*8
Offset/ET : 44
PCD : 112
Holes : 5

5028



Size : 18*8.5/19*8.5
Offset/ET : 35~45
PCD : 112
Holes : 5

5030



Size : 16*6
Offset/ET : 40
PCD : 114.3
Holes : 4

A058



Size : 18*7.5
Offset/ET : 45
PCD : 114.3
Holes : 5

A060



Size : 20*8
Offset/ET : 35/45
PCD : 139.7
Holes : 6 (Nissan)

A061



Size : 20*8.5
Offset/ET : 45~58
PCD : 150
Holes : 5 (Lexus)

A062



Size : 21*8.5
Offset/ET : 54
PCD : 150
Holes : 5(Land Crusier)

5015



Size : 18*8
Offset/ET : 50
PCD : 114.3
Holes : 5(Toyota)

A034



Size : 18*8
Offset/ET : 45
PCD : 114.3
Holes : 5(Lexus)

A037



Size : 18*8
Offset/ET : 30~35
PCD : 114.3
Holes : 5(Lexus)

A046



Size : 17*7.5/18*8/19*8.5
Offset/ET : 30~42
PCD : 114.3
Holes : 5 (Honda)

5016



Size : 18*8
Offset/ET : 48
PCD : 112
Holes : 5 (VW)

G-T1



Size : 18*8/20*8.5
Offset/ET : 25~45
PCD : 139.7
Holes : 6 (Toyota)

LC1007



Size : 18*8.5
Offset/ET : 35
PCD : 100~120
Holes : 5

A024



Size : 20*8
Offset/ET : 30
PCD : 114.3
Holes : 5 (Lexus)

A028



Size : 20*8.5
Offset/ET : 58
PCD : 150
Holes : 5

DM158



Size : 20*9
Offset/ET : 45
PCD : 120
Holes : 5 (Land Rover)

DM1182



Size : 18*8
Offset/ET : 25~30
PCD : 139.7
Holes : 6

G-KA



Size : 17*7.5
Offset/ET : 35~42
PCD : 100
Holes : 4

DM-TRD



Size : 15*8
Offset/ET : 0
PCD : 139.7
Holes : 5/6

4x4 Off-Road Wheels

The rims of off-road vehicles can adapt to complex road conditions and extreme weather conditions. They are impact resistant, wear resistant and stronger. Suitable for all kinds of off-road vehicles and pickup trucks.



NF415



Size : 15*8
Offset/ET : 0
PCD : 139.7
Holes : 5

OR003



Size : 17*9/18*9
Offset/ET : -10~10
PCD : 114.3~150
Holes : 5/6

620B



Size :
18*9.5|10.5/18*11
Offset/ET : 20/25/38
PCD : 114.3~139.7
Holes : 5/6

5084



Size : 17*8
Offset/ET : 25~30
PCD : 100~114.3
Holes : 4/5

642S



Size : 18*9.5|10.5
Offset/ET : 20/25
PCD : 139.7
Holes : 6

670



Size : 15*6.5
Offset/ET : 35~40
PCD : 100
Holes : 4

693



Size : 15*10
Offset/ET : -45
PCD : 114.3~139.7
Holes : 5/6

645



Size : 18*8|9
Offset/ET : 30/0
PCD : 139.7
Holes : 6

DM109



Size : 20*9|12|14/22*12
Offset/ET : -12~12/-44/-76
PCD : 135~180
Holes : Blank

8004



Size : 16*8/17*9
Offset/ET : 15
PCD : 139.7
Holes : 6

8003



Size : 17*10
Offset/ET : -24
PCD : 139.7
Holes : 6

5008



Size :
15*8/17*8/18*9.5/18*10.5
Offset/ET : -10/10
PCD : 100~120
Holes : 4/5/8

1007



Size : 20*10
Offset/ET : 10/95
PCD : 225
Holes : 10

643



Size :
15*7|8.5/16*7.5|8.75
Offset/ET : 35/25
PCD : 100~114.3
Holes : Blank

DM108



Size : 20*12|14
Offset/ET : -76~-24
PCD : 135~180
Holes : Blank

8001



Size : 17*10/18*10
Offset/ET : -24
PCD : 135~139.7
Holes : 6

5035



Size : 18*9.5
Offset/ET : 25
PCD : 114.3~139.7
Holes : 6

6005



Size : 18*9.5/18*10.5
Offset/ET : 20/25
PCD : 139.7
Holes : 6

5032



Size : 18*8.5
Offset/ET : 10~15
PCD : 139.7
Holes : 5/6

6007



Size : 17*9
Offset/ET : 15~40
PCD : -15~0
Holes : 6

1002



Size : 17*9/18*9
Offset/ET : -10~15
PCD : 139.7~150
Holes : 5/6

OR004



Size : 20*10
Offset/ET : -12
PCD : 139.7~150
Holes : 5/6

067



Size : 17*7.5/17*8.5
Offset/ET : 30/25
PCD : 100~114.3
Holes : 8

163



Size : 18*8.5|9.5
Offset/ET : 40/30
PCD : 100~120
Holes : 4/5/8

03

ONE-STOP SERVICE

Our service team is efficient and will make sure your order process easy and cost-efficient. If there is a product you are looking for and can not find it on our website or catalogue, we will do our best to give you professional advice.



Our Team



Peter

Sales Manager



Allen

General Manager




Lillian

Senior Sales

Allen started his career as a technical engineer in the industry, then undertake international sales to meet various customer needs for over 10 years. With extensive experience in many projects of the industry, the company was founded and named ECHO.

Allen has a passion to build a long-term business with our clients based on quality products, cost saving and dedicated service.

Service Process



Cooperate with ECHO, we do our best to make the process to be easy and visible.
You never feel worry because we always to listen to your request and deal with problems quickly.



Need Best Price or More Information?

Please Contact Us!

Jiangxi ECHO Technology Co., Ltd.

Contact: Peter Wang

Phone/WhatsApp : 0086 183 6745 6186

Email : peter@wheelrimshop.com

Address : No.85 Jiurui Avenue, Jiujiang, Jiangxi, China 332000